

LIST OF SUBSTITUTE FOR DISCONTINUED SERIES

The following series are discontinued.

Please use the recommended replacements in the table.

◆ LIST OF SMD REPLACEMENTS

Characteristics	Discontinued Series	Substitute Series
85°C standard	MV	MVG
Low Impedance	MVY	BXJ
High Temperature	CDA, CLA	CLZ, CLS

◆ LIST OF RADIAL REPLACEMENTS

Characteristics	Discontinued Series	Substitute Series
85°C standard	SL, SM, SMS, SRF, SHL, SR	MHA
105°C standard	KM, KMC, KME, KRF, KMG	NHA
85°C Bi-polarized	SRA-BP	GSA-BP
85°C Bi-polarized	SM-BP(D), SMS-BP, SH-BP	MHA-BP
105°C Bi-polarized	KM-BP(D), KME-BP, KMG-BP	NHA-BP
85°C Bi-polarized	SM-BP(P)	SSP
85°C Bi-polarized	SM-BP(S), SSA	KSA
105°C Bi-polarized	KM-BP(S)	KSA
Low Impedance	LXF	NXQ, NXW
Low Impedance	RX, RZ, SXA, SXC, SXE, LXJ, KXL	NXR
Ultra Low ESR	NXC, NXF	NXE, NXG
High Ripple	KHR, NFD(KMF)	NZE
	NFE(KMX)	NFK, NFS, NBA, NBS, NBC, NBD
High Temperature	KXC, PXA	PXB, PXD
High Temperature, Low Impedance	PXC	PFD
7L Standard	SRA	GSA, HMA

◆ LIST OF SNAP-IN REPLACEMENTS

Characteristics	Discontinued Series	Substitute Series
85°C standard	SM, NM, SMS, SHL, SMK, SMG, SMH, SLT, RDA	RDC
105°C standard	KM, KME, KMG, KMH, KLT	TDA
Protecting Overvoltage	KLG	RVA, TVA

◆ LIST OF SCREW-BOLT REPLACEMENTS

Characteristics	Discontinued Series	Substitute Series
85°C standard	SMH, RGA	TGA(KMH), RGB
105°C standard	KME	TGA(KMH)
For Inverter	GW, RWA	RFA